

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
-	25306	current near2 mode	USPAT; EPO; JPO; DERWENT	2003/04/15 12:37
-	1244	ground near2 bounce	USPAT; EPO; JPO; DERWENT	2003/04/15 12:37
-	39122	impedance near2 (match\$4 or equal\$4 or "same")	USPAT; EPO; JPO; DERWENT	2003/04/15 12:38
-	6	(current near2 mode) and (ground near2 bounce) and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 12:52
-	1696	CMOS and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 12:52
-	150	(CMOS and (impedance near2 (match\$4 or equal\$4 or "same"))) and (current near2 mode)	USPAT; EPO; JPO; DERWENT	2003/04/15 13:07
-	276	348/308.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 14:52
-	2	348/308.ccls. and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 13:14
-	1020	333/17.3,32.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 16:34
-	24	333/17.3,32.ccls. and CMOS and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 13:16
-	314	348/294.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 13:29
-	7	(348/308.ccls. or 348/294.ccls.) and CMOS and (current near2 mode)	USPAT; EPO; JPO; DERWENT	2003/04/15 13:41
-	45261	348/\$.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 13:41
-	8	348/\$.ccls. and (current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 13:43
-	6	analog and (current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same")) and (348/\$.ccls. or 333/17.3,32.ccls.)	USPAT; EPO; JPO; DERWENT	2003/04/15 14:09
-	141	fossum and 348/\$.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 14:49
-	1610	250/208.1.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/15 14:49

-	15	(348/308.ccls. or 333/17.3,32.ccls. or 348/294.ccls. or 250/208.1.ccls.) and CMOS and (current near2 mode)	USPAT; EPO; JPO; DERWENT	2003/04/15 15:10
-	5	image near2 sens\$3 same process\$4 same (CMOS near2 output or current near1 mode near1 output)	USPAT; EPO; JPO; DERWENT	2003/04/15 15:12
-	1	((current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same"))) and CDS and image near2 process\$4	USPAT; EPO; JPO; DERWENT	2003/04/15 16:05
-	108	(current near2 mode) same (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 16:06
-	16	("4575686"   "4818929"   "5309047"   "5359727"   "5371421"   "5390147"   "5627789"   "5687123"   "5789981"   "5793230"   "5834951"   "5841718"   "5850365"   "5955899"   "6081140"   "6130579").PN.	USPAT	2003/04/15 16:10
-	3	("5587709"   "6002268"   "6075384").PN.	USPAT	2003/04/15 16:15
-	0	333/17.3,32.ccls. and image near2 proccess\$3	USPAT; EPO; JPO; DERWENT	2003/04/15 16:34
-	0	333/17.3,32.ccls. and current near2 bias\$3 with output near2 impedance	USPAT; EPO; JPO; DERWENT	2003/04/15 16:35
-	1	333/17.3,32.ccls. and current near2 bias\$3 same output near2 impedance	USPAT; EPO; JPO; DERWENT	2003/04/15 16:36
-	13	333/17.3,32.ccls. and current near2 bias\$3 and output near2 impedance	USPAT; EPO; JPO; DERWENT	2003/04/15 16:37
-	2	333/17.3,32.ccls. and current near2 bias\$3 and output near2 impedance and CMOS	USPAT; EPO; JPO; DERWENT	2003/04/15 16:38
-	848	current near2 bias\$3 and output near2 impedance and CMOS	USPAT; EPO; JPO; DERWENT	2003/04/15 16:39
-	43	(current near2 bias\$3 and output near2 impedance and CMOS) and (current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/15 17:13
-	53	348/\$.ccls. and CMOS and image and (processor or processing) and output with (impedance or current near2 mode)	USPAT; EPO; JPO; DERWENT	2003/04/15 17:15
-	365	output near2 impedance with transconductance	USPAT; EPO; JPO; DERWENT	2003/04/16 13:29
-	44	(output near2 impedance with transconductance) same bias\$3 near3 current	USPAT; EPO; JPO; DERWENT	2003/04/16 13:29
-	1364	326/30,82.ccls.	USPAT; EPO; JPO; DERWENT	2003/04/16 17:25

-	960	(current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same"))	USPAT; EPO; JPO; DERWENT	2003/04/16 17:25
-	44	326/30,82.ccls. and ((current near2 mode) and (impedance near2 (match\$4 or equal\$4 or "same")))	USPAT; EPO; JPO; DERWENT	2003/04/16 17:25
-	2	("6075384").PN.	USPAT; EPO; JPO; DERWENT	2003/04/17 12:18
-	2	("5866659").PN.	USPAT; EPO; JPO; DERWENT	2003/04/17 14:08
-	2	("5886659").PN.	USPAT; EPO; JPO; DERWENT	2003/04/17 14:08